

## BIOGRAPHICAL NOTES

Born in Suzzara (Mantova) in 1966, studied chemistry at the University of Parma, where he obtained his B.Sc. (Laurea with summa cum laude) and Ph.D degrees in 1992 and 1996, respectively.

In 1999 he was nominated Assistant Professor of Organic Chemistry and he joined the *Dipartimento di Chimica Organica e Industriale* of the University of Parma.

In 2001 he was Visiting Scientist at the *Centre d'Elaboration de Matériaux et d'Etudes Structurales (CEMES)* of the CNRS of Toulouse (France).

In 2010 he was nominated Associate Professor of Organic Chemistry and in 2012 he joined the *Dipartimento di Chimica* of the University of Parma

In 2016 he joined the *Dipartimento di Scienze Chimiche, della Vita e della Sostenibilità Ambientale*, where is currently doing his research and teaching activities.

## TEACHING ACTIVITY

- From 2001 to 2006 – course of *Bibliographic Research Methods* (2 ECTS) for the BSc degree in Chemistry.
- From 2001 to 2004 – course of *Environmental Organic Chemistry* (4 ECTS) for the BSc degree in Packaging Technology and Science.
- From 2005 to 2009 – course of *Organic Chemistry II* (4 ECTS) for the BSc degree in Science and Technology of Packaging, and course of *Instrumental Laboratory of Organic Chemistry* (4 ECTS) for the M.Sc. degree in Chemistry.
- From 2009 to 2010 – course of *Synthesis and Techniques in Organic Chemistry* (3 ECTS) for the M.Sc. degree in Chemistry.
- From 2009 to 2011 – course of *Supramolecular Chemistry* (6 ECTS) for the M.Sc. degree in Materials Sciences.
- From 2010 to 2014 – course of *Laboratory of Organic Chemistry II* (6 ECTS) for the BSc degree in Chemistry
- Since 2005 is teaching the course of *Physical Methods in Organic Chemistry* (6 ECTS) for the M.Sc. degree in Chemistry.
- Since 2014 is teaching the course of *Advanced Organic Chemistry* (6 ECTS) for the M.Sc. degree in Industrial Chemistry.
- Since 2016 is teaching the course of *Organic Chemistry of Materials* (3 ECTS) for the M.Sc. degree in Chemistry.

## SCIENTIFIC ACTIVITY (SHORT ACCOUNT)

His present research interests include supramolecular chemistry, molecular recognition and nanosciences. At the beginning of his academic research career (1999) he worked on the synthesis and functionalization of a class of synthetic macrocyclic receptors called “calixarenes”. These compounds were designed, prepared and studied for the selective recognition of ion pairs and neutral organic species in low polar solvents. Later, he focused his research interests on the synthesis and study of the properties of a series of calix[6]arene derivatives which were

designed and employed as active components of “molecular machines” prototypes based on pseudorotaxanes and rotaxanes species. In the last years, these later achievements have been transferred to the preparation of new organic-inorganic functional hybrid materials. In particular, through the preparation of organic monolayers based on calixarene receptors which were used as active components of 2D and 3D self-assembled monolayers on gold, copper and silicon. His entire academic career has been documented by 83 scientific papers (with four book chapters) published on peer reviewed international journals (ISI).

#### BIBLIOMETRICS

Published papers on ISI Journals: 83

Published papers on non-ISI Journals: 2

Books and book's chapters of international relevance: 4

Sum of the Times Cited 2572 (ISI); 2491 (SCOPUS)

Sum of Times Cited without self-citations: 2094 (SCOPUS)

h-index: 28 (ISI); 28 (SCOPUS)

h-index (without self-citations): 27 (SCOPUS)

#### PUBLICATIONS

(1) Arduini, A.; Pochini, A.; Sicuri, A. R.; Secchi, A.; Ungaro, R. Iodo- and Alkynylcalix[4]Arenes: Versatile Precursors for Host Synthesis. *Gazzetta Chimica Italiana* **1994**, 124 (3), 129–132.

(2) Arduini, A.; Cantoni, M.; Graviani, E.; Pochini, A.; Secchi, A.; Sicuri, A. R.; Ungaro, R.; Vincenti, M. Gas-Phase Complexation of Neutral Molecules by Upper Rim Bridged Calix[4]Arenes. *Tetrahedron* **1995**, 51 (2), 599–606.  
[https://doi.org/10.1016/0040-4020\(94\)00919-L](https://doi.org/10.1016/0040-4020(94)00919-L).

(3) Arduini, A.; Fabbri, M.; Mantovani, M.; Mirone, L.; Pochini, A.; Secchi, A.; Ungaro, R. Calix[4]Arenes Blocked in a Rigid Cone Conformation by Selective Functionalization at the Lower Rim. *The Journal of Organic Chemistry* **1995**, 60 (5), 1454–1457. <https://doi.org/10.1021/jo00110a055>.

(4) Arduini, A.; Pochini, A.; Secchi, A.; Ungaro, R. A New Macroscavatand from the Head to Tail Four-Point Capping of p-Tert-Butylcalix[8]Arene with a Calix[4]Arene. *Journal of the Chemical Society, Chemical Communications* **1995**, No. 8, 879–880.  
<https://doi.org/10.1039/c39950000879>.

(5) Vincenti, M.; Minero, C.; Pelizzetti, E.; Secchi, A.; Dalcanale, E. Host-Guest Chemistry in the Gas Phase and at the Gas-Solid Interface: Fundamental Aspects and Practical Applications. *Pure and Applied Chemistry* **1995**, 67 (7), 1075–1084.  
<https://doi.org/10.1351/pac199567071075>.

(6) Arduini, A.; McGregor, W. M.; Paganuzzi, D.; Pochini, A.; Secchi, A.; Ugozzoli, F.; Ungaro, R. Rigid Cone Calix[4]Arenes as π-Donor Systems: Complexation of Organic Molecules and Ammonium Ions in Organic Media. *Journal of the Chemical Society, Perkin Transactions 2* **1996**, 5 (5), 839–846. <https://doi.org/10.1039/P29960000839>.

(7) Arduini, A.; McGregor, W. M.; Pochini, A.; Secchi, A.; Ugozzoli, F.; Ungaro, R. New Upper Rim Pyridine-Bridged Calix[4]Arenes: Synthesis and Complexation Properties toward Neutral Molecules and Ammonium Ions in Organic Media. *The Journal of Organic Chemistry* **1996**, 61 (20), 6881–6887. <https://doi.org/10.1021/jo960937b>.

- (8) Arduini, A.; Mirone, L.; Paganuzzi, D.; Pinalli, A.; Pochini, A.; Secchi, A.; Ungaro, R. New Calix[4]Arenes Having Electron Donating Groups at the Upper Rim as Molecular Platforms and Host Molecules. *Tetrahedron* **1996**, *52* (16), 6011–6018. [https://doi.org/10.1016/0040-4020\(96\)00238-4](https://doi.org/10.1016/0040-4020(96)00238-4).
- (9) Arduini, A.; Domiano, L.; Oglisi, L.; Pochini, A.; Secchi, A.; Ungaro, R. Self-Assembled Hydrogen-Bonded Molecular Cages of Calix[6]Arenetricarboxylic Acid Derivatives. *The Journal of Organic Chemistry* **1997**, *62* (22), 7866–7868. <https://doi.org/10.1021/jo9704826>.
- (10) Arduini, A.; Domiano, L.; Pochini, A.; Secchi, A.; Ungaro, R.; Uguzzoli, F.; Struck, O.; Verboom, W.; Reinhoudt, D. N. Synthesis of 1,2-Bridged Calix[4]Arene-Biscrowns in the 1,2-Alternate Conformation. *Tetrahedron* **1997**, *53* (10), 3767–3776. [https://doi.org/10.1016/S0040-4020\(97\)00097-5](https://doi.org/10.1016/S0040-4020(97)00097-5).
- (11) Arduini, A.; Ferdani, R.; Pochini, A.; Secchi, A.; Uguzzoli, F. Calix[6]Arene as a Wheel for Rotaxane Synthesis. *Angewandte Chemie International Edition* **2000**, *39* (19), 3453–3456. [https://doi.org/10.1002/1521-3773\(20001002\)39:19<3453::AID-ANIE3453>3.0.CO;2-I](https://doi.org/10.1002/1521-3773(20001002)39:19<3453::AID-ANIE3453>3.0.CO;2-I).
- (12) Arduini, A.; Ferdani, R.; Pochini, A.; Secchi, A. Synthesis of Upper Rim Covalently Linked Double Calix[6]Arenes. *Tetrahedron* **2000**, *56* (43), 8573–8577. [https://doi.org/10.1016/S0040-4020\(00\)00805-X](https://doi.org/10.1016/S0040-4020(00)00805-X).
- (13) Arduini, A.; Nachtigall, F. F.; Pochini, A.; Secchi, A.; Uguzzoli, F. Calix[4]Arene Cavitands: A Solid State Study on the Interactions of Their Aromatic Cavity with Neutral Organic Guests Characterised by Acid CH 3 or CH 2 Groups. *Supramolecular Chemistry* **2000**, *12* (3), 273–291. <https://doi.org/10.1080/10610270008029449>.
- (14) Arduini, A.; Pochini, A.; Secchi, A. Rigid Calix[4]Arene as a Building Block for the Synthesis of New Quaternary Ammonium Cation Receptors. *European Journal of Organic Chemistry* **2000**, *2000* (12), 2325–2334. [https://doi.org/10.1002/1099-0690\(200006\)2000:12<2325::AID-EJOC2325>3.0.CO;2-E](https://doi.org/10.1002/1099-0690(200006)2000:12<2325::AID-EJOC2325>3.0.CO;2-E).
- (15) Arduini, A.; Secchi, A.; Pochini, A. Recognition of Amides by New Rigid Calix[4]Arene-Based Cavitands. *The Journal of Organic Chemistry* **2000**, *65* (26), 9085–9091. <https://doi.org/10.1021/jo005596n>.
- (16) Arduini, A.; Giorgi, G.; Pochini, A.; Secchi, A.; Uguzzoli, F. Anion Allosteric Effect in the Recognition of Tetramethylammonium Salts by Calix[4]Arene Cone Conformers. *The Journal of Organic Chemistry* **2001**, *66* (25), 8302–8308. <https://doi.org/10.1021/jo016035e>.
- (17) Arduini, A.; Giorgi, G.; Pochini, A.; Secchi, A.; Uguzzoli, F. Interactions of the Aromatic Cavity of Rigid Calix[4]Arene Cone Conformers with Acid CH<sub>3</sub> and CH<sub>2</sub> Containing Guests in Apolar Solvents. *Tetrahedron* **2001**, *57* (12), 2411–2417. [https://doi.org/10.1016/S0040-4020\(01\)00095-3](https://doi.org/10.1016/S0040-4020(01)00095-3).
- (18) Arduini, A.; Pochini, A.; Secchi, A.; Uguzzoli, F. Recognition of Neutral Molecules. In *Calixarenes 2001*; Kluwer Academic Publishers: Dordrecht, 2001; pp 457–475. [https://doi.org/10.1007/0-306-47522-7\\_25](https://doi.org/10.1007/0-306-47522-7_25).
- (19) Arena, G.; Contino, A.; Magrì, A.; Sciotto, D.; Arduini, A.; Pochini, A.; Secchi, A. Energetics of the Inclusion of Organic Molecules by Rigidified Cone Calix[4]Arenes in Carbon Tetrachloride. *Supramolecular Chemistry* **2001**, *13* (2), 379–386. <https://doi.org/10.1080/10610270108027492>.
- (20) Arduini, A.; Brindani, E.; Giorgi, G.; Pochini, A.; Secchi, A. Anion Effects on the Recognition of Ion Pairs by Calix[4]Arene-Based Heteroditopic Receptors. *The Journal of Organic Chemistry* **2002**, *67* (17), 6188–6194. <https://doi.org/10.1021/jo025655s>.

- (21) Arduini, A.; Ferdani, R.; Pochini, A.; Secchi, A.; Uguzzoli, F.; Sheldrick, G. M.; Prados, P.; González, J. J.; de Mendoza, J. Non-Bonded Water Molecules Confined Into a Self-Assembled Calixarene Cage. *Journal of Supramolecular Chemistry* **2002**, 2 (1–3), 85–88. [https://doi.org/10.1016/S1472-7862\(02\)00082-5](https://doi.org/10.1016/S1472-7862(02)00082-5).
- (22) Uguzzoli, F.; Arduini, A.; Massera, C.; Pochini, A.; Secchi, A. CH/π Interaction between Benzene and Model Neutral Organic Molecules Bearing Acid CH Groups. *New Journal of Chemistry* **2002**, 26 (12), 1718–1723. <https://doi.org/10.1039/B208432E>.
- (23) Viala, C.; Secchi, A.; Gourdon, A. Synthesis of Polyaromatic Hydrocarbons with a Central Rotor. *European Journal of Organic Chemistry* **2002**, 2002 (24), 4185–4189. [https://doi.org/10.1002/1099-0690\(200212\)2002:24<4185::AID-EJOC4185>3.0.CO;2-Z](https://doi.org/10.1002/1099-0690(200212)2002:24<4185::AID-EJOC4185>3.0.CO;2-Z).
- (24) Arduini, A.; Brindani, E.; Giorgi, G.; Pochini, A.; Secchi, A. Recognition of Guests Bearing Donor and Acceptor Hydrogen Bonding Groups by Heteroditopic Calix[4]Arene Receptors. *Tetrahedron* **2003**, 59 (38), 7587–7594. [https://doi.org/10.1016/S0040-4020\(03\)01126-8](https://doi.org/10.1016/S0040-4020(03)01126-8).
- (25) Arduini, A.; Calzavacca, F.; Pochini, A.; Secchi, A. Unidirectional Threading of Triphenylureidocalix[6]Arene-Based Wheels: Oriented Pseudorotaxane Synthesis. *Chemistry - A European Journal* **2003**, 9 (3), 793–799. <https://doi.org/10.1002/chem.200390089>.
- (26) Arduini, A.; Pochini, A.; Secchi, A.; Uguzzoli, F. Chlorosulfonation of 2-Acylthiophenes: An Examination on the Reaction Regiochemistry. *Tetrahedron Letters* **2003**, 44 (30), 5755–5757. [https://doi.org/10.1016/S0040-4039\(03\)01326-1](https://doi.org/10.1016/S0040-4039(03)01326-1).
- (27) Ghosh, S. C.; Zhu, X.; Secchi, A.; Sadhukhan, S. K.; Girdhar, N. K.; Gourdon, A. Molecular Landers as Probes for Molecular Device-Metal Surface Interactions. *Annals of the New York Academy of Sciences* **2003**, 1006 (1), 82–93. <https://doi.org/10.1196/annals.1292.005>.
- (28) Arduini, A.; Bozzoli, M.; Massera, C.; Pochini, A.; Secchi, A.; Uguzzoli, F. Synthesis of New Calix[4]Arene-Based Ionophores. *Collection of Czechoslovak Chemical Communications* **2004**, 69 (6), 1309–1324. <https://doi.org/10.1135/cccc20041309>.
- (29) Arduini, A.; Calzavacca, F.; Demuru, D.; Pochini, A.; Secchi, A. Synthesis of Cavity Extended Cyclotrimeratrylenes. *The Journal of Organic Chemistry* **2004**, 69 (4), 1386–1388. <https://doi.org/10.1021/jo035557m>.
- (30) Arena, G.; Contino, A.; Longo, E.; Spoto, G.; Arduini, A.; Pochini, A.; Secchi, A.; Massera, C.; Uguzzoli, F. An Integrated Approach to the Study of the Recognition of Guests Containing CH<sub>3</sub> and CH<sub>2</sub> Acidic Groups by Differently Rigidified Cone P-Tert-Butylcalix[4]Arene Derivatives Electronic Supplementary Information (ESI) Available: Experimental Conditions Used Fo. *New Journal of Chemistry* **2004**, 28 (1), 56–61. <https://doi.org/10.1039/b308996g>.
- (31) Credi, A.; Dumas, S.; Silvi, S.; Venturi, M.; Arduini, A.; Pochini, A.; Secchi, A. Viologen-Calix[6]Arene Pseudorotaxanes. Ion-Pair Recognition and Threading/Dethreading Molecular Motions. *The Journal of Organic Chemistry* **2004**, 69 (18), 5881–5887. <https://doi.org/10.1021/jo0494127>.
- (32) Uguzzoli, F.; Massera, C.; Arduini, A.; Pochini, A.; Secchi, A. Calix[6]Arene-Based Pseudorotaxanes: A Solid State Structural Investigation. *CrystEngComm* **2004**, 6 (39), 227–232. <https://doi.org/10.1039/b406591c>.
- (33) Arduini, A.; Ciesa, F.; Fragassi, M.; Pochini, A.; Secchi, A. Selective Synthesis of Two Constitutionally Isomeric Oriented Calix[6]Arene-Based Rotaxanes. *Angewandte Chemie International Edition* **2005**, 44 (2), 278–281. <https://doi.org/10.1002/anie.200461336>.

- (34) Arduini, A.; Demuru, D.; Pochini, A.; Secchi, A. Recognition of Quaternary Ammonium Cations by Calix[4]Arene Derivatives Supported on Gold Nanoparticles. *Chemical Communications* **2005**, No. 5, 645–647. <https://doi.org/10.1039/b411883a>.
- (35) Tshikhudo, T. R.; Demuru, D.; Wang, Z.; Brust, M.; Secchi, A.; Arduini, A.; Pochini, A. Molecular Recognition by Calix[4]Arene-Modified Gold Nanoparticles in Aqueous Solution. *Angewandte Chemie International Edition* **2005**, 44 (19), 2913–2916. <https://doi.org/10.1002/anie.200462909>.
- (36) Arduini, A.; Massera, C.; Pochini, A.; Secchi, A.; Uguzzoli, F. Organic Guests Inclusion by Tungsten-Calix[4]Arene Hosts. *New Journal of Chemistry* **2006**, 30 (6), 952–958. <https://doi.org/10.1039/b603006h>.
- (37) Giannetto, M.; Mastria, V.; Mori, G.; Arduini, A.; Secchi, A. New Selective Gas Sensor Based on Piezoelectric Quartz Crystal Modified by Electropolymerization of a Molecular Receptor Functionalised with 2,2'-Bithiophene. *Sensors and Actuators B: Chemical* **2006**, 115 (1), 62–68. <https://doi.org/10.1016/j.snb.2005.08.018>.
- (38) Ramazzina, I.; Folli, C.; Secchi, A.; Berni, R.; Percudani, R. Completing the Uric Acid Degradation Pathway through Phylogenetic Comparison of Whole Genomes. *Nature Chemical Biology* **2006**, 2 (3), 144–148. <https://doi.org/10.1038/nchembio768>.
- (39) Arduini, A.; Secchi, A.; Pochini, A. Molecular Machines and Nanodevices. In *Calixarenes in the Nanoworld*; Springer Netherlands, 2007; pp 63–88. [https://doi.org/10.1007/978-1-4020-5022-4\\_4](https://doi.org/10.1007/978-1-4020-5022-4_4).
- (40) Silvi, S.; Arduini, A.; Pochini, A.; Secchi, A.; Tomasulo, M.; Raymo, F. M.; Baroncini, M.; Credi, A. A Simple Molecular Machine Operated by Photoinduced Proton Transfer. *Journal of the American Chemical Society* **2007**, 129 (44), 13378–13379. <https://doi.org/10.1021/ja0753851>.
- (41) Arduini, A.; Bussolati, R.; Credi, A.; Pochini, A.; Secchi, A.; Silvi, S.; Venturi, Margherita. Rotaxanes with a Calix[6]Arene Wheel and Axles of Different Length. Synthesis, Characterization, and Photophysical and Electrochemical Properties. *Tetrahedron* **2008**, 64 (36), 8279–8286. <https://doi.org/10.1016/j.tet.2008.05.123>.
- (42) Arduini, A.; Credi, A.; Faimani, C.; Massera, C.; Pochini, A.; Secchi, A.; Semeraro, M.; Silvi, S.; Uguzzoli, F.; Faimani, G.; Massera, C.; Pochini, A.; Secchi, A.; Semeraro, M.; Silvi, S.; Uguzzoli, F. Self-Assembly of a Double Calix[6]Arene Pseudorotaxane in Oriented Channels. *Chemistry - A European Journal* **2008**, 14 (1), 98–106. <https://doi.org/10.1002/chem.200700748>.
- (43) Gadenne, B.; Yildiz, I.; Amelia, M.; Ciesa, F.; Secchi, A.; Arduini, A.; Credi, A.; Raymo, F. M. Luminescence Quenching in Supramolecular Assemblies of Quantum Dots and Bipyridinium Dications. *Journal of Materials Chemistry* **2008**, 18 (17), 2022. <https://doi.org/10.1039/b720038b>.
- (44) Pescatori, L.; Arduini, A.; Pochini, A.; Uguzzoli, F.; Secchi, A. Design, Synthesis and Recognition Properties of Urea-Type Anion Receptors in Low Polar Media. *European Journal of Organic Chemistry* **2008**, 2008 (1), 109–120. <https://doi.org/10.1002/ejoc.200700740>.
- (45) Arduini, A.; Bussolati, R.; Credi, A.; Faimani, G.; Garaudée, S.; Pochini, A.; Secchi, A.; Semeraro, M.; Silvi, S.; Venturi, M. Towards Controlling the Threading Direction of a Calix[6]Arene Wheel by Using Nonsymmetric Axles. *Chemistry - A European Journal* **2009**, 15 (13), 3230–3242. <https://doi.org/10.1002/chem.200801926>.
- (46) Mattarozzi, M.; Giannetto, M.; Secchi, A.; Bianchi, F. Novel Coating for Solid-Phase Microextraction: Electropolymerization of a Molecular Receptor Functionalized with 2,2'-Bithiophene for the Determination of

Environmental Pollutants at Trace Levels. *Journal of Chromatography A* **2009**, *1216* (18), 3725–3730.

<https://doi.org/10.1016/j.chroma.2009.02.077>.

(47) Pescatori, L.; Arduini, A.; Pochini, A.; Secchi, A.; Massera, C.; Uguzzoli, F. Monotopic and Heteroditopic Calix[4]Arene Receptors as Hosts for Pyridinium and Viologen Ion Pairs: A Solution and Solid-State Study. *Organic & Biomolecular Chemistry* **2009**, *7* (18), 3698. <https://doi.org/10.1039/b906409e>.

(48) Ciesa, F.; Plech, A.; Mattioli, C.; Pescatori, L.; Arduini, A.; Pochini, A.; Rossi, F.; Secchi, A. Guest Controlled Assembly of Gold Nanoparticles Coated with Calix[4]Arene Hosts. *The Journal of Physical Chemistry C* **2010**, *114* (32), 13601–13607. <https://doi.org/10.1021/jp105143p>.

(49) Pescatori, L.; Boccia, A.; Ciesa, F.; Rossi, F.; Grillo, V.; Arduini, A.; Pochini, A.; Zanoni, R.; Secchi, A. The Effect of Ligand Denticity in Size-Selective Synthesis of Calix[n]Arene-Stabilized Gold Nanoparticles: A Multitechnique Approach. *Chemistry - A European Journal* **2010**, *16* (36), 11089–11099. <https://doi.org/10.1002/chem.201001039>.

(50) Semeraro, M.; Arduini, A.; Baroncini, M.; Battelli, R.; Credi, A.; Venturi, M.; Pochini, A.; Secchi, A.; Silvi, S.; Venturi, M.; Pochini, A.; Secchi, A.; Silvi, S. Self-Assembly of Calix[6]Arene-Diazapyrenium Pseudorotaxanes: Interplay of Molecular Recognition and Ion-Pairing Effects. *Chemistry - A European Journal* **2010**, *16* (11), 3467–3475. <https://doi.org/10.1002/chem.200903049>.

(51) Boccia, A.; Lanzilotto, V.; Di Castro, V.; Zanoni, R.; Pescatori, L.; Arduini, A.; Secchi, A. Preparation, Reactivity and Controlled Release of SAMs of Calix[4,6]Arenes and Calix[6]Arene-Based Rotaxanes and Pseudorotaxanes Formed on Polycrystalline Cu. *Physical Chemistry Chemical Physics* **2011**, *13* (10), 4452–4462. <https://doi.org/10.1039/c0cp01921f>.

(52) Boccia, A.; Lanzilotto, V.; Di Castro, V.; Zanoni, R.; Arduini, A.; Pescatori, L.; Secchi, A. Selective Assembling of Calixarenes and Pseudorotaxanes on Si(100) and Polycrystalline Copper. *Journal of Nanoscience and Nanotechnology* **2011**, *11* (10), 9333–9339. <https://doi.org/10.1166/jnn.2011.4320>.

(53) Boccia, A.; Lanzilotto, V.; Zanoni, R.; Pescatori, L.; Arduini, A.; Secchi, A. Surface Grafting and Reactivity of Calixarene-Based Receptors and Pseudorotaxanes on Si(100). *Physical Chemistry Chemical Physics* **2011**, *13* (10), 4444–4451. <https://doi.org/10.1039/c0cp01916j>.

(54) Arduini, A.; Bussolati, R.; Credi, A.; Monaco, S.; Secchi, A.; Silvi, S.; Venturi, M. Solvent- and Light-Controlled Unidirectional Transit of a Nonsymmetric Molecular Axle through a Nonsymmetric Molecular Wheel. *Chemistry - A European Journal* **2012**, *18* (50), 16203–16213. <https://doi.org/10.1002/chem.201201625>.

(55) Arduini, A.; Bussolati, R.; Masseroni, D.; Royal, G.; Secchi, A. Communication between Components in Metal-Directed Assemblies of Oriented Calix[6]Arene-Based Pseudorotaxanes and Rotaxanes. *European Journal of Organic Chemistry* **2012**, *2012* (5), 1033–1038. <https://doi.org/10.1002/ejoc.201101597>.

(56) Boccia, A.; Zanoni, R.; Arduini, A.; Pescatori, L.; Secchi, A. Negatively Charged Gold Atoms in Subnanometric Particles: Experimental Evidence from an X-Ray Photoelectron Spectroscopy Study. *Journal of Nanoscience and Nanotechnology* **2012**, *12* (11), 8851–8855. <https://doi.org/10.1166/jnn.2012.6840>.

(57) Boccia, A.; Zanoni, R.; Arduini, A.; Pescatori, L.; Secchi, A. Structural Electronic Study via XPS and TEM of Subnanometric Gold Particles Protected by Calixarenes for Silicon Surface Anchoring. *Surface and Interface Analysis* **2012**, *44* (8), 1086–1090. <https://doi.org/10.1002/sia.4842>.

(58) Arduini, A.; Bussolati, R.; Credi, A.; Secchi, A.; Silvi, S.; Semeraro, M.; Venturi, M. Toward Directionally Controlled Molecular Motions and Kinetic Intra- and Intermolecular Self-Sorting: Threading Processes of Nonsymmetric Wheel and

Axle Components. *Journal of the American Chemical Society* **2013**, 135 (26), 9924–9930.

<https://doi.org/10.1021/ja404270c>.

(59) Arduini, A.; Bussolati, R.; Massera, C.; Pochini, A.; Rapaccioli, F.; Secchi, A.; Uguzzoli, F. A Thiourea Calix[6]Arene-Based Synthon That Generates a Supramolecular Porous Crystal Structure. *Supramolecular Chemistry* **2013**, 25 (9–11), 703–708. <https://doi.org/10.1080/10610278.2013.814777>.

(60) Boccia, A.; D’Orazi, F.; Carabelli, E.; Bussolati, R.; Arduini, A.; Secchi, A.; Marrani, A. G.; Zanoni, R. Assembly of Gold Nanoparticles on Functionalized Si(100) Surfaces through Pseudorotaxane Formation. *Chemistry - A European Journal* **2013**, 19 (24), 7999–8006. <https://doi.org/10.1002/chem.201204318>.

(61) Bussolati, R.; Carrieri, P.; Secchi, A.; Arduini, A.; Credi, A.; Semeraro, M.; Venturi, M.; Silvi, S.; Velluto, D.; Zappacosta, R.; Fontana, A. Hierarchical Self-Assembly of Amphiphilic Calix[6]Arene Wheels and Viologen Axles in Water. *Organic & Biomolecular Chemistry* **2013**, 11 (35), 5944–5953. <https://doi.org/10.1039/c3ob40739j>.

(62) Arduini, A.; Orlandini, G.; Secchi, A.; Credi, A.; Silvi, S.; Venturi, M. Calix-Based Molecular Machines and Devices. *Reference Module in Chemistry, Molecular Sciences and Chemical Engineering* **2014**, 1–26. <https://doi.org/10.1016/B978-0-12-409547-2.10826-1>.

(63) Semeraro, M.; Secchi, A.; Silvi, S.; Venturi, M.; Arduini, A.; Credi, A. Photoinduced Electron Transfer from [Ru(Bpy)3]2+ to a Calix[6]Arene-Encapsulated Viologen Electron Acceptor. *Inorganica Chimica Acta* **2014**, 417, 258–262. <https://doi.org/10.1016/j.ica.2014.01.017>.

(64) Campanini, M.; Ciprian, R.; Bedogni, E.; Mega, A.; Chiesi, V.; Casoli, F.; de Julián Fernández, C.; Rotunno, E.; Rossi, F.; Secchi, A.; Bigi, F.; Salviati, G.; Magén, C.; Grillo, V.; Albertini, F. Lorentz Microscopy Sheds Light on the Role of Dipolar Interactions in Magnetic Hyperthermia. *Nanoscale* **2015**, 7 (17), 7717–7725. <https://doi.org/10.1039/C5NR00273G>.

(65) Colagiorgi, A.; Turroni, F.; Mancabelli, L.; Serafini, F.; Secchi, A.; van Sinderen, D.; Ventura, M. Insights into Teichoic Acid Biosynthesis by Bifidobacterium Bifidum PRL2010. *FEMS Microbiology Letters* **2015**, 362 (17), fnv141. <https://doi.org/10.1093/femsle/fnv141>.

(66) Vita, F.; Boccia, A.; Marrani, A. G.; Zanoni, R.; Rossi, F.; Arduini, A.; Secchi, A. Calix[4]Arene-Functionalised Silver Nanoparticles as Hosts for Pyridinium-Loaded Gold Nanoparticles as Guests. *Chemistry - A European Journal* **2015**, 21 (43), 15428–15438. <https://doi.org/10.1002/chem.201501920>.

(67) Zappacosta, R.; Fontana, A.; Credi, A.; Arduini, A.; Secchi, A. Incorporation of Calix[6]Arene Macrocycles and (Pseudo)Rotaxanes in Bilayer Membranes: Towards Controllable Artificial Liposomal Channels. *Asian Journal of Organic Chemistry* **2015**, 4 (3), 262–270. <https://doi.org/10.1002/ajoc.201402244>.

(68) Arduini, A.; Orlandini, G.; Secchi, A.; Credi, A.; Silvi, S.; Venturi, M. Calixarene Threading by Viologen-Based Axles. In *Calixarenes and Beyond*; Neri, P., Sessler, J. L., Wang, M.-X., Eds.; Springer International Publishing: Cham, 2016; pp 761–781. <https://doi.org/10.1007/978-3-319-31867-7>.

(69) Cendron, L.; Ramazzina, I.; Puggioni, V.; Maccacaro, E.; Liuzzi, A.; Secchi, A.; Zanotti, G.; Percudani, R. The Structure and Function of a Microbial Allantoin Racemase Reveal the Origin and Conservation of a Catalytic Mechanism. *Biochemistry* **2016**, 55 (46), 6421–6432. <https://doi.org/10.1021/acs.biochem.6b00881>.

(70) Orlandini, G.; Zanichelli, V.; Secchi, A.; Arduini, A.; Ragazzon, G.; Credi, A.; Venturi, M.; Silvi, S. Synthesis by Ring Closing Metathesis and Properties of an Electroactive Calix[6]Arene [2]Catenane. *Supramolecular Chemistry* **2016**, 28 (5–6), 427–435. <https://doi.org/10.1080/10610278.2015.1111374>.

- (71) Vita, F.; Arduini, A.; Secchi, A. Calixarenes and Nanoparticles. In *Calixarenes and Beyond*; Neri, P., Sessler, J. L., Wang, M.-X., Eds.; Springer International Publishing: Cham, 2016; pp 941–963. <https://doi.org/10.1007/978-3-319-31867-7>.
- (72) Vita, F.; Gavilán, H.; Rossi, F.; de Julián Fernández, C.; Secchi, A.; Arduini, A.; Albertini, F.; Morales, M. P. Tuning Morphology and Magnetism of Magnetite Nanoparticles by Calix[8]Arene-Induced Oriented Aggregation. *CrystEngComm* **2016**, *18* (44), 8591–8598. <https://doi.org/10.1039/C6CE01252C>.
- (73) Vita, F.; Vorti, M.; Orlandini, G.; Zanichelli, V.; Massera, C.; Uguzzoli, F.; Arduini, A.; Secchi, A. Synthesis and Recognition Properties of Calix[4]Arene Semitubes as Ditopic Hosts for N-Alkylpyridinium Ion Pairs. *CrystEngComm* **2016**, *18* (26), 5017–5027. <https://doi.org/10.1039/C6CE00268D>.
- (74) Zanichelli, V.; Ragazzon, G.; Arduini, A.; Credi, A.; Franchi, P.; Orlandini, G.; Venturi, M.; Lucarini, M.; Secchi, A.; Silvi, S. Synthesis and Characterization of Constitutionally Isomeric Oriented Calix[6]Arene-Based Rotaxanes. *European Journal of Organic Chemistry* **2016**, *2016* (5), 1033–1042. <https://doi.org/10.1002/ejoc.201501522>.
- (75) Orlandini, G.; Groppi, J.; Secchi, A.; Arduini, A.; Kilburn, J. D. Electrochemical Response of the Threading/de-Threading Process of Calix[6]Arene-Based Pseudorotaxanes Anchored on Glassy Carbon Electrodes. *Electrochimica Acta* **2017**, *227*, 391–400. <https://doi.org/10.1016/j.electacta.2016.12.169>.
- (76) Orlandini, G.; Ragazzon, G.; Zanichelli, V.; Secchi, A.; Silvi, S.; Venturi, M.; Arduini, A.; Credi, A. Covalent Capture of Oriented Calix[6]Arene Rotaxanes by a Metal-Free Active Template Approach. *Chemical Communications* **2017**, *53* (45), 6172–6174. <https://doi.org/10.1039/C7CC02859H>.
- (77) Orlandini, G.; Ragazzon, G.; Zanichelli, V.; Degli Esposti, L.; Baroncini, M.; Silvi, S.; Venturi, M.; Credi, A.; Secchi, A.; Arduini, A. Plugging a Bipyridinium Axle into Multichromophoric Calix[6]Arene Wheels Bearing Naphthyl Units at Different Rims. *ChemistryOpen* **2017**, *6* (1), 64–72. <https://doi.org/10.1002/open.201600128>.
- (78) Zanichelli, V.; Ragazzon, G.; Orlandini, G.; Venturi, M.; Credi, A.; Silvi, S.; Arduini, A.; Secchi, A. Efficient Active-Template Synthesis of Calix[6]Arene-Based Oriented Pseudorotaxanes and Rotaxanes. *Organic & Biomolecular Chemistry* **2017**, *15* (32), 6753–6763. <https://doi.org/10.1039/C7OB01642E>.
- (79) Vita, F.; Innocenti, C.; Secchi, A.; Albertini, F.; Grillo, V.; Fiore, A.; Cozzoli, P. D.; de Julián Fernández, C. Colloidal Au/Iron Oxide Nanocrystal Heterostructures: Magnetic, Plasmonic and Magnetic Hyperthermia Properties. *Journal of Materials Chemistry C* **2018**, *6* (45), 12329–12340. <https://doi.org/10.1039/C8TC01788C>.
- (80) Zanichelli, V.; Bazzoni, M.; Arduini, A.; Franchi, P.; Lucarini, M.; Ragazzon, G.; Secchi, A.; Silvi, S. Redox-Switchable Calix[6]Arene-Based Isomeric Rotaxanes. *Chemistry - A European Journal* **2018**, *24* (47), 12370–12382. <https://doi.org/10.1002/chem.201800496>.
- (81) Zanichelli, V.; Dallacasagrande, L.; Arduini, A.; Secchi, A.; Ragazzon, G.; Silvi, S.; Credi, A. Electrochemically Triggered Co-Conformational Switching in a [2]Catenane Comprising a Non-Symmetric Calix[6]Arene Wheel and a Two-Station Oriented Macrocycle. *Molecules* **2018**, *23* (5), 1156–1168. <https://doi.org/10.3390/molecules23051156>.
- (82) Bazzoni, M.; Zanichelli, V.; Casimiro, L.; Massera, C.; Credi, A.; Secchi, A.; Silvi, S.; Arduini, A. New Geometries for Calix[6]Arene-Based Rotaxanes. *European Journal of Organic Chemistry* **2019**, *2019* (21), 3513–3524. <https://doi.org/10.1002/ejoc.201900211>.
- (83) Bazzoni, M.; Terenziani, F.; Secchi, A.; Cera, G.; Jabin, I.; De Leener, G.; Luhmer, M.; Arduini, A. Tuning the Fluorescence Through Reorientation of the Axle in Calix[6]Arene-Based Pseudorotaxanes. *Chemistry – A European Journal* **2020**, *26* (14), 3022–3025. <https://doi.org/10/ggqxcr>.

- (84) Cera, G.; Bazzoni, M.; Arduini, A.; Secchi, A. Ion-Pair Selective Conformational Rearrangement of Sulfonamide Calix[6]Arene-Based Pseudorotaxanes. *Organic Letters* **2020**, 22–25. <https://doi.org/10/ggsb7n>.
- (85) Konstantaki, M.; Skiani, D.; Vurro, D.; Cucinotta, A.; Selleri, S.; Secchi, A.; Iannotta, S.; Pissadakis, S. Silk Fibroin Enabled Optical Fiber Methanol Vapor Sensor. *IEEE Photonics Technology Letters* **2020**, 32 (9), 514–517. <https://doi.org/10/ggaxcq>.
- (86) Orlandini, G.; Casimiro, L.; Bazzoni, M.; Cogliati, B.; Credi, A.; Lucarini, M.; Silvi, S.; Arduini, A.; Secchi, A. Synthesis and Properties of a Redox-Switchable Calix[6]Arene-Based Molecular Lasso. *Organic Chemistry Frontiers* **2020**, 7 (4), 648–659. <https://doi.org/10/ggaxcs>.